




## TECHNICAL DATA

### Classic line shredders at a glance



# CLASSIC LINE

## Quality and Professional

The highest shredding and security performances with the widest choice ever of shredding solutions



### SUPER POTENTIAL POWER SYSTEM

Sturdy steel gears and metal chain drive system which offer reliability and resistance to wear.



### 24 HOUR CONTINUOUS DUTY MOTOR

Continuous shredding 24 hours a day without overheating and duty cycles.



### TURBO BOOST SYSTEM FOR EXTRA SHREDDING CAPACITY

By pressing the Turbo switch the shredding capacity of the machine is increased by 30%. Unbelievable shredding power up to 52 sheets of paper in one pass (*Kobra 240 SS5 Turbo*).



### THROW AND SHRED SYSTEM

Automatic feeding system for shredding crumpled paper (*Kobra+3 CC4 and Kobra 400 WB series*).



### EXCLUSIVE OIL-FREE SYSTEM

No need of lubrication and maintenance of cutting blades (*Kobra AF+1, AF.1 C4, AF.2*).



### ENERGY SMART SYSTEM

Environmentally friendly Energy Smart System® stand-by power saving mode after 8 seconds of no use.



### AUTOMATIC AUTO-FEED SYSTEM

Exclusive high speed automatic auto-feeder system for the shredding of large volumes of documents (*Kobra AF series*).



### INTEGRATED AUTOMATIC COMPACTOR

The integrated automatic compactor reduces the volume of shredded paper by 4 times to optimize bag capacity and avoid frequent emptyings (*Kobra AF.2*).



### AUTOMATIC REVERSE SYSTEM 100% JAM PROOF

It comes on when too much material is inserted into the shredder to prevent jamming.



### METAL DETECTION SYSTEM SHRED GUARD

It stops the machine when large metal objects, which could cause a damage to the cutting knives, are accidentally inserted.



### AUTOMATIC OILING SYSTEM

Kobra cross-cut and High Security shredders can be fitted with a built-in automatic oiling system, with an Oil Warning light. This system eliminates the need of manual oiling of cutting knives.



### HYBRID POWER MANAGEMENT SYSTEM

Environmentally friendly **Hybrid** technology utilizes stored energy during each and every shredding cycle to improve efficiency, performance and to disconnect the machine from power supply.



ENERGY SMART® System  
for power saving stand-by mode



MODEL
<a href="#">Click the link to visit the website product page</a>
Article Code
Throat width (inch)
Shred size (inch)
Sheet capacity* (up to) Manual feed / Automatic feed
Waste bin/bag • Volume (gal)

Kobra AF+1 22 gal	
<a href="#">Learn more</a>	
99.936	
9.5	
1/8 x 5/8	
12 / 300	
22	

Kobra AF.1	
C4	C2
<a href="#">Learn more</a>	
99.934	99.937
10.25	
3/16 x 1 1/2	3/32 x 5/8
12 / 350	12 / 350
40	

Kobra AF.2 COMPACTOR	
<a href="#">Learn more</a>	
99.944	
10.25	
3/16 x 1 1/2	
12 / 400	
40 (up to 160)	

Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material	
Paper	P-4
Credit card	T-4
Smart card	E-3
Micro-film	F-1
CD/DVD/BluRay	
Floppy disk	

P-4
T-4
E-3
F-1

P-4	P-5
T-4	T-5
E-3	E-4
F-1	F-2

P-4
T-4
E-3
F-1

Main Features	
Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Motor Thermal Protection	
Heavy duty chain drive with steel gears (Super Potential Power Unit)	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	
Option	


Electronic Combination Lock	

Electronic Combination Lock	

Technical Data	
Speed** (sheets/min)	17
Noise level (dB)	52/55
Voltage (V/Hz)	115 / 60
Power (HP)	1/3

17
52/55
115 / 60
1/3

up to 25	up to 25
56/58	
115 / 60	
7/8	

up to 25
58
115 / 60
1.34

Dimensions and Weight	
Width x Depth x Height (inch)	16 x 15 x 41
Weight (lb)	68

16 x 15 x 41
68

21.2 x 17.2 x 43
103

21.2 x 17.2 x 43
143

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT

||| Cross-cut models  
||| C2, C4

Legenda ISO/IEC 21964 (DIN 66399) P - Paper T - Floppy disk E - Smart card  
O - CD/DVD T - Credit card F - Film



ENERGY SMART® System  
for power saving stand-by mode



MODEL	Kobra		Kobra +1				Kobra +2			Kobra +3
	Hybrid	Hybrid-S	SS7	SS6	SS4	CC4	SS7	SS4	CC2	CC4
Click the link to visit the website product page	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
Article Code	99.941	99.942	99.104	99.102	99.103	99.105	99.111	99.108	99.112	99.110
Throat width (inch)	9.2		9.2				9.2			
Shred size (inch)	1/8 x 1 5/8		1/4	15/64	1/8	1/8 x 1 5/8	1/4	1/8	3/32 x 5/8	1/8 x 1 5/8
Sheet capacity* (up to)	9	14	26	25	19	14	27	19	8	14
Waste bin/bag • Volume (gal)	8		10.2				10.2 + 0.4			
<b>Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material</b>										
Paper	P-4		P-1	P-2		P-4	P-1	P-2	P-5	P-4
Credit card	T-4		T-2	T-2		T-4	T-2	T-2	T-5	T-4
Smart card	E-3		E-2	E-2		E-3	E-2	E-2	E-4	E-3
Micro-film	F-1					F-1			F-2	F-1
CD/DVD/BluRay			O-1	O-2			O-1	O-2	O-1	O-1
Floppy disk										
<b>Main Features</b>										
Automatic Oiling System										
Energy Smart® System										
24H Continuous Duty Motor Motor Thermal Protection										
Heavy duty chain drive with steel gears										
Automatic Start & Stop Electronic eyes (E) • Sensor (S)										
Safety Stop with light signal for open door/bin out										
Safety Stop with light signal for bag or bin full										
Automatic Reverse System										
<b>Technical Data</b>										
Speed** (ft/min)	8		6		8		6	8	8	
Noise level (dB)	53	55	55				55			55
Voltage (V/Hz)	115/60	115/60	115/60				115/60			115/60
Power (HP)	1/4	1/3	1/3				1/3			1/3
<b>Dimensions and Weight</b>										
Width x Depth x Height (inch)	14.5 x 10 x 19.7		15.6 x 12 x 23.6				15.6 x 12 x 23.6			
Weight (lb)	18	20	24		26		26	30	28	

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT

Straight-cut models <b>S4, S5, S6, S7</b>	Cross-cut models <b>C2, C4</b>	<b>Legenda ISO/IEC 21964 (DIN 66399)</b>	<b>P</b> - Paper <b>O</b> - CD/DVD	<b>T</b> - Floppy disk <b>T</b> - Credit card	<b>E</b> - Smart card <b>F</b> - Film
--	-----------------------------------	--	---------------------------------------	--	--



ENERGY SMART® System  
for power saving stand-by mode



**MODEL**

Click the link to visit the website product page

Article Code	99.910	99.909	99.912	99.911
Throat width (inch)	9.5			
Shred size (inch)	1/4	1/8	1/8 x 1 1/8	3/32 x 5/8
Sheet capacity* (up to)	31	26	17	12
Waste bin/bag • Volume (gal)	10.5			

**Kobra 240.1**

S5	S4	C4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.910	99.909	99.912	99.911
9.5			
1/4	1/8	1/8 x 1 1/8	3/32 x 5/8
31	26	17	12
10.5			

**Kobra 240**

SS5	SS4	SC	C4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.721	99.706	99.761	99.741	99.731
9.5				
1/4	1/8	3/32	1/8 x 1 1/8	3/32 x 5/8
29	26	15	15	12
9.5				

**Kobra 240 Turbo**

SS5	SS4	C4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.721 TURBO	99.706 TURBO	99.741 TURBO	99.731 TURBO
9.5			
1/4	1/8	1/8 x 1 1/8	3/32 x 5/8
52	30	26	19
9.5			

**Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material**

Paper	P-2	P-4	P-5
Credit card	T-2	T-4	T-5
Smart card	E-2	E-3	E-4
Micro-film		F-1	F-2
CD/DVD/BluRay	O-2	O-3	
Floppy disk	T-2		

Paper	P-2	P-4	P-5
Credit card	T-2	T-4	T-5
Smart card	E-2	E-3	E-4
Micro-film		F-1	F-2
CD/DVD/BluRay	O-2	O-3	
Floppy disk	T-2		

Paper	P-2	P-3	P-4	P-5
Credit card	T-2	T-3	T-4	T-5
Smart card	E-2	E-2	E-3	E-4
Micro-film			F-1	F-2
CD/DVD/BluRay	O-2			
Floppy disk	T-2			

Paper	P-2	P-4	P-5
Credit card	T-2	T-4	T-5
Smart card	E-2	E-3	E-4
Micro-film		F-1	F-2
CD/DVD/BluRay	O-2	O-3	
Floppy disk	T-2	T-4	

**Main Features**

Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	

Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	

Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	

Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	

**Technical Data**

Speed** (ft/min)	22	17	22
Noise level (dB)	55	61	
Voltage (V/Hz)	115/60		
Power (HP)	4/5		

Speed** (ft/min)	22	17	22
Noise level (dB)	55	61	
Voltage (V/Hz)	115/60		
Power (HP)	4/5		

Speed** (ft/min)	22	8	17	22
Noise level (dB)	55	55	61	
Voltage (V/Hz)	115/60			
Power (HP)	3/4			

Speed** (ft/min)	8	7
Noise level (dB)	55	61
Voltage (V/Hz)	115/60	
Power (HP)	3/4	

**Dimensions and Weight**

Width x Depth x Height (inch)	16 x 14.4 x 25		
Weight (lb)	51	53	

Width x Depth x Height (inch)	16 x 14.4 x 25		
Weight (lb)	51	53	

Width x Depth x Height (inch)	14.5 x 13 x 22			
Weight (lb)	33	37		

Width x Depth x Height (inch)	14.5 x 13 x 22	
Weight (lb)	33	37

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT



ENERGY SMART® System  
for power saving stand-by mode



MODEL
<a href="#">Click the link to visit the website product page</a>
Article Code
Throat width (inch)
Shred size (inch)
Sheet capacity* (up to)
Waste bin/bag • Volume (gal)

Kobra 260.1				
S5	S4	S2	C4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.917	99.916	99.915	99.919	99.918
10.25				
1/4	1/8	3/32	1/8 x 1 1/8	3/32 x 5/8
31	28	16	17	12
22				

Kobra 260		
S5	S4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.516	99.511	99.521
10.25		
1/4	1/8	3/32 x 5/8
31	28	12
22		

Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material
Paper
Credit card
Smart card
Micro-film, Foil
CD/DVD/BluRay
Floppy disk

P-2	P-3	P-4	P-5
T-2	T-3	T-4	T-5
E-2	E-2	E-3	E-4
		F-1	F-2
O-2		O-3	
T-2			

P-2	P-5
T-2	T-5
E-2	E-4
	F-2
O-2	
T-2	

Main Features
Automatic Oiling System
Energy Smart® System
24H Continuous Duty Motor Motor Thermal Protection
Heavy duty chain drive with steel gears
Automatic Start & Stop Electronic eyes (E) • Sensor (S)
Safety Stop with light signal for open door/bin out
Safety Stop with light signal for bag or bin full
Automatic Reverse System



Technical Data
Speed** (ft/min)
Noise level (dB)
Voltage (V/Hz)
Power (HP)

24	15	24	17	24
55			61	
115/60				
4/5				

24	18	24
55		61
115/60		
3/4		

Dimensions and Weight
Width x Depth x Height (inch)
Weight (lb)

16 x 14.4 x 41				
64			70	

17 x 12.25 x 32.5		
57	66	

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT

Straight-cut models <b>S2, S4, S5</b>	Cross-cut models <b>C2, C4</b>
--	-----------------------------------

<b>Legenda ISO/IEC 21964 (DIN 66399)</b>	<b>P</b> - Paper <b>O</b> - CD/DVD	<b>T</b> - Floppy disk <b>T</b> - Credit card	<b>E</b> - Smart card - USB <b>F</b> - Film
--	---------------------------------------	--	--



ENERGY SMART® System for power saving stand-by mode



MODEL
Click the link to visit the website product page
Article Code
Throat width (inch)
Shred size (inch)
Sheet capacity* (up to)
Waste bin/bag • Volume (gal)

Kobra 300.1			
S5	S4	C4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.923	99.922	99.925	99.924
12.2			
1/4	1/8	3/16 x 1 1/2	3/32 x 5/8
32	29	22	15
40			

Kobra 300.2			
S5	S4	C4	C2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.929	99.928	99.931	99.930
12.2			
1/4	1/8	3/16 x 1 1/2	3/32 x 5/8
40	33	27	18
40			

Kobra 300		
SS4	CC4	CC2
<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.650	99.656	99.654
12		
1/8	1/8 x 1 1/8	3/32 x 5/8
34	24	18
22		

**Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material**

Paper	P-2	P-4	P-5
Credit card	T-2	T-4	T-5
Smart card	E-2	E-3	E-4
Micro-film		F-1	F-2
CD/DVD/BluRay	O-2	O-3	
Floppy disk	T-2		

	P-2	P-4	P-5
	T-2	T-4	T-5
	E-2	E-3	E-4
		F-1	F-2
	O-2	O-3	O-4
	T-2		

	P-2	P-4	P-5
	T-2	T-4	T-5
	E-2	E-3	E-4
		F-1	F-2
	O-2	O-3	O-4
	T-2	T-4	

P-2	P-4	P-5
T-2	T-4	T-5
E-2	E-3	E-4
	F-1	F-2
O-2	O-3	
T-2		

**Main Features**

Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	



	option
	2 x

**Technical Data**

Speed** (ft/min)	17	15	17	15
Noise level (dB)	55		61	
Voltage (V/Hz)	115/60			
Power (HP)	7/8			

	17	15	17	15
	55		61	
	115/60			
	7/8			

	22	17
	60	61
	115/60	
	1 1/2	

	22	17	24
	60	61	
	115/60		
	1 1/2		

**Dimensions and Weight**

Width x Depth x Height (inch)	21.2 x 17.2 x 43.4		
Weight (lb)	97	99	

	21.2 x 17.2 x 43.4		
	97	99	

	21.2 x 17.2 x 43.4	
	97	99

	17 x 12.25 x 32.5		
	72	74	

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT



ENERGY SMART® System  
for power saving stand-by mode



MODEL	Kobra 385			Kobra 390		Kobra 400			Kobra 400
	SS7	C4	C2	S5	C4	S5	C4	C2	WB
Click the link to visit the website product page	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>
Article Code	99.561	99.581	99.571	99.641	99.631	99.601	99.591	99.596	99.620
Throat width (inch)	15.4			16		16			16
Shred size (inch)	1/4	1/8 x 1 1/8	3/32 x 5/8	1/4	1/8 x 1 1/2	1/4	1/8 x 1 1/8	3/32 x 5/8	1/8 x 1 1/2
Sheet capacity* (up to)	37	17	11	33	26	62	48	31	48
Waste bin/bag • Volume (gal)	34			53		53			53

**Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material**

Paper	P-2	P-4	P-5	P-2	P-4	P-2	P-4	P-5	P-4
Credit card	T-2	T-4	T-5	T-2	T-4	T-2	T-4	T-5	T-4
Smart card	E-2	E-3	E-4	E-2	E-3	E-2	E-3	E-4	E-3
Micro-film		F-1	F-2		F-1		F-1	F-2	F-1
CD/DVD/BluRay	O-2			O-2	O-3	O-2	O-3	O-4	O-3
Floppy disk				T-2	T-4	T-2	T-4	T-5	T-4
Memory stick						E-2	E-3	E-4	E-3

**Main Features**

Automatic Oiling System									
Energy Smart® System									
24H Continuous Duty Motor Thermal Protection									
Heavy duty chain drive with steel gears				2 x					
Automatic Start & Stop Electronic eyes (E) • Sensor (S)									
Safety Stop with light signal for open door/bin out									
Safety Stop with light signal for bag or bin full									
Automatic Reverse System									
Option				top shelf		top shelf			

**Technical Data**

Speed** (ft/min)	24	17	24	22		30		30	
Noise level (dB)	55	61		58	62	60	68	61	65
Voltage (V/Hz)	115/60			115/60		115/60			115/60
Power (HP)	3/4			1 1/2		2.9			2.9

**Dimensions and Weight**

Width x Depth x Height (inch)	22.75 x 13.75 x 33.5			23.5 x 19 x 36.5		23.5 x 19 x 36.5			23.5 x 19 x 64.5
Weight (lb)	72	88		160	169	209	209	222	291

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT

Straight-cut models <b>S4, S5, S6, S7</b>	Cross-cut models <b>C2, C4</b>	<b>Legenda ISO/IEC 21964 (DIN 66399)</b>	<b>P</b> - Paper <b>O</b> - CD/DVD	<b>T</b> - Floppy disk <b>T</b> - Credit card	<b>E</b> - Smart card - USB <b>F</b> - Film
--	-----------------------------------	--	---------------------------------------	--	--





ENERGY SMART™ System  
for power saving stand-by mode



HIGH SECURITY	Kobra 240.1			Kobra 240			Kobra 260.1		Kobra 260		Kobra 300.1		Kobra 300.2	
	HS	HS	HS-6	HS	HS-6	HS	HS-6	HS	HS-6	HS	HS-6	HS	HS-6	
Click the link to visit the website product page	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	<a href="#">Learn more</a>	
Article Code	99.913	99.751	99.756	99.920	99.921	99.541	99.546	99.926	99.927	99.932	99.933			
Throat width (inch)	9.5	9.5		10.25		10.25		12.2		12.2				
Shred size (inch)	1/32 x 7/16	1/32 x 7/16	0.8 x 5 mm	1/32 x 7/16	0.8 x 5 mm	1/32 x 7/16	0.8 x 5 mm	1/32 x 7/16	0.8 x 5 mm	1/32 x 7/16	0.8 x 5 mm	1/32 x 7/16	0.8 x 5 mm	
Sheet capacity* (up to)	8	8	6	8	5	8	6	8	6	11	7			
Waste bin/bag • Volume (gal)	10.5	9.5		22		22		40		40				

**Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material**

Paper	P-6	P-6	P-7	P-6	P-7	P-6	P-7	P-6	P-7	P-6	P-7	P-6	P-7
Credit card	T-6	T-6		T-6		T-6		T-6		T-6		T-6	
Smart card													
Micro-film	F-3	F-3		F-3		F-3		F-3		F-3		F-3	
CD/DVD/BluRay													
Floppy disk													
Memory stick													

**Main Features**

Automatic Oiling System					option								
Energy Smart™ System													
24H Continuous Duty Motor Motor Thermal Protection													
Heavy duty chain drive with steel gears													
Automatic Start & Stop Electronic eyes (E) • Sensor (S)													
Safety Stop with light signal for open door/bin out													
Safety Stop with light signal for bag or bin full													
Automatic Reverse System													
Option					top shelf								

**Technical Data**

Speed** (ft/min)	17	17		17	17			17	17				
Noise level (dB)	61	61		61	61			61	61				
Voltage (V/Hz)	115/60	115/60		115/60	115/60			115/60	115/60				
Power (HP)	4/5	3/4		4/5	3/4			7/8	1 1/2				

**Dimensions and Weight**

Width x Depth x Height (inch)	16 x 14.4 x 25	14.5 x 13 x 22		16 x 14.4 x 41	17 x 12.25 x 32.5			21.2 x 17.2 x 43.4	21.2 x 17.2 x 43.4				
Weight (lb)	62	41		77	72			108	108				

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT

High security models  
HS, HS-6

KOBRA® and ENERGY SMART™ are registered trademarks

KOBRA® shredders are built according to CE standard and carry the most International recognized safety marks



ENERGY SMART® System  
for power saving stand-by mode



**HIGH SECURITY**

Click the link to visit the website product page

Article Code	99.113	99.116
Throat width (inch)	10.25	
Shred size (inch)	1/32 x 7/16	0.8 x 5 mm
Sheet capacity* (up to)	13	10
Waste bin/bag • Volume (gal)	22	

**Kobra 260 HS/2**

HS/2	HS/2-6
<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.113	99.116
10.25	
1/32 x 7/16	0.8 x 5 mm
13	10
22	

**Kobra 300**

HS-6
<a href="#">Learn more</a>
99.660
12
0.8 x 5 mm
6
22

**Kobra 400**  
**HS-6 Auto Oiler**

HS-6 Auto Oiler
<a href="#">Learn more</a>
99.589
16
0.8 x 5 mm
14
53

**Kobra 400**

HS OM	HS-6 Combi
<a href="#">Learn more</a>	<a href="#">Learn more</a>
99.585	99.603
5	9.5 (Paper) / 5 (CD,DVD)
1.5 x 2 mm	0.8 x 5 mm (paper) 1.5 x 2 mm (CD,DVD)
2,500 disk/hour	14 sheets 4,550 disk/hour
22 (fabric bag for plastic)	29 (for paper) + 22 (for plastic)

**Security Level ISO/IEC 21964 (DIN 66399) Shreddable Material**

Paper	P-6	P-7
Credit card	T-6	
Smart card		
Micro-film	F-3	
CD/DVD/BluRay		
Floppy disk		
Memory stick		

Paper	P-6	P-7
Credit card	T-6	
Smart card		
Micro-film	F-3	
CD/DVD/BluRay		
Floppy disk		
Memory stick		

Paper	P-7
Credit card	
Smart card	
Micro-film	F-3
CD/DVD/BluRay	
Floppy disk	
Memory stick	

Paper	P-7
Credit card	
Smart card	
Micro-film	F-3
CD/DVD/BluRay	
Floppy disk	
Memory stick	

Paper		
Credit card	T-6	T-6
Smart card	E-5	E-5
Micro-film	F-3	F-3
CD/DVD/BluRay	O-6	O-6
Floppy disk	T-6	
Memory stick		

**Main Features**

Automatic Oiling System	Option
Energy Smart® System	
24H Continuous Duty Motor Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	
Option	top shelf

Automatic Oiling System	Option
Energy Smart® System	
24H Continuous Duty Motor Motor Thermal Protection	
Heavy duty chain drive with steel gears	2 x
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	
Option	top shelf

Automatic Oiling System	Option
Energy Smart® System	
24H Continuous Duty Motor Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	
Option	top shelf

Automatic Oiling System	
Energy Smart® System	
24H Continuous Duty Motor Motor Thermal Protection	
Heavy duty chain drive with steel gears	
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)
Safety Stop with light signal for open door/bin out	
Safety Stop with light signal for bag or bin full	
Automatic Reverse System	
Option	top shelf

Automatic Oiling System		
Energy Smart® System		
24H Continuous Duty Motor Motor Thermal Protection		
Heavy duty chain drive with steel gears		
Automatic Start & Stop Electronic eyes (E) • Sensor (S)	(E)	(E)
Safety Stop with light signal for open door/bin out		
Safety Stop with light signal for bag or bin full		
Automatic Reverse System		
Option		

**Technical Data**

Speed** (ft/min)	24
Noise level (dB)	59
Voltage (V/Hz)	115/60
Power (HP)	1 1/2

Speed** (ft/min)	24
Noise level (dB)	59
Voltage (V/Hz)	115/60
Power (HP)	1 1/2

Speed** (ft/min)	19
Noise level (dB)	61
Voltage (V/Hz)	115/60
Power (HP)	1 1/2

Speed** (ft/min)	30
Noise level (dB)	60
Voltage (V/Hz)	115/60
Power (HP)	2.9

Speed** (ft/min)	30	30
Noise level (dB)	60	60
Voltage (V/Hz)	115/60	115/60
Power (HP)	2.9	2.9

**Dimensions and Weight**

Width x Depth x Height (inch)	20 x 15 x 33.5
Weight (lb)	112

Width x Depth x Height (inch)	20 x 15 x 33.5
Weight (lb)	112

Width x Depth x Height (inch)	17 x 12.25 x 32.5
Weight (lb)	83

Width x Depth x Height (inch)	23.5 x 19 x 36.5
Weight (lb)	246

Width x Depth x Height (inch)	23.5 x 19 x 36.5	23.5 x 19 x 36.5
Weight (lb)	227	246

\*Capacity varies on supply power, weight, quality and grain of paper, operating temperature and blade lubrication

Specifications in this publication may be subject to change without notice  
TRADE AGREEMENT ACT (TAA) COMPLIANT

High security models  
HS, HS-6

Legenda ISO/IEC 21964 (DIN 66399)

P - Paper  
O - CD/DVD

T - Floppy disk  
T - Credit card

E - Smart card - USB  
F - Film



**P**

### Data in Original Size on: Paper, Printout, films, printing plates etc.

<b>P-1</b> Stripe width max 12 mm	<b>P-3</b> Cross Cut < 320 mm <sup>2</sup>	<b>P-6</b> Cross Cut < 10 mm <sup>2</sup>
<b>P-2</b> Stripe width max 6 mm	<b>P-4</b> Cross Cut < 160 mm <sup>2</sup>	<b>P-7</b> Cross Cut < 5 mm <sup>2</sup>
	<b>P-5</b> Cross Cut < 30 mm <sup>2</sup>	



**O**

### Data on Optical Carriers: CDs, DVDs etc.

<b>O-1</b> Cross Cut < 2000 mm <sup>2</sup>	<b>O-3</b> Cross Cut < 160 mm <sup>2</sup>	<b>O-6</b> Cross Cut < 5 mm <sup>2</sup>
<b>O-2</b> Cross Cut < 800 mm <sup>2</sup>	<b>O-4</b> Cross Cut < 30 mm <sup>2</sup>	<b>O-7</b> Cross Cut < 0,2 mm <sup>2</sup>
	<b>O-5</b> Cross Cut < 10 mm <sup>2</sup>	



**T**

### Data on Magnetic Carriers: Credit Cards, Floppy Disks, ID Cards, Magnetic Tape Cassettes, etc.

<b>T-1</b> Mechanically inoperable	<b>T-3</b> Cross Cut < 320 mm <sup>2</sup>	<b>T-6</b> Cross Cut < 10 mm <sup>2</sup>
<b>T-2</b> Cross Cut < 2000 mm <sup>2</sup>	<b>T-4</b> Cross Cut < 160 mm <sup>2</sup>	<b>T-7</b> Cross Cut < 2,5 mm <sup>2</sup>
	<b>T-5</b> Cross Cut < 30 mm <sup>2</sup>	



**E**

### Data on electronic data carriers: Memory Sticks, Chip cards, Semiconductor Hard Drives, mobile communication media, etc.

<b>E-1</b> Mechanically/ Electronically inoperable	<b>E-3</b> Cross Cut < 160 mm <sup>2</sup>	<b>E-6</b> Cross Cut < 1 mm <sup>2</sup>
<b>E-2</b> Split	<b>E-4</b> Cross Cut < 30 mm <sup>2</sup>	<b>E-7</b> Cross Cut < 0,5 mm <sup>2</sup>
	<b>E-5</b> Cross Cut < 10 mm <sup>2</sup>	



**F**

### Reduced size data on: micro-films and foils

<b>F-1</b> Cross Cut < 160 mm <sup>2</sup>	<b>F-3</b> Cross Cut < 10 mm <sup>2</sup>	<b>F-6</b> Cross Cut < 0,5 mm <sup>2</sup>
<b>F-2</b> Cross Cut < 30 mm <sup>2</sup>	<b>F-4</b> Cross Cut < 2,5 mm <sup>2</sup>	<b>F-7</b> Cross Cut < 0,2 mm <sup>2</sup>
	<b>F-5</b> Cross Cut < 1 mm <sup>2</sup>	



**H**

### Data on Hard Disks (with magnetic data carriers)

<b>H-1</b> Mechanically/ Electronically inoperable	<b>H-3</b> Deformed	<b>H-6</b> Cross Cut < 10 mm <sup>2</sup>
<b>H-2</b> Damaged	<b>H-4</b> Cross Cut < 2000 mm <sup>2</sup>	<b>H-7</b> Cross Cut < 5 mm <sup>2</sup>
	<b>H-5</b> Cross Cut < 320 mm <sup>2</sup>	



**ELCOMAN SRL**

Via Gorizia, 9 - 20813 Bovisio Masciago (MB) - Italy  
Tel +39 0362 593584 - Fax +39 0362 591611  
Email: kobra@elcoman.it

**KOBRA**® products are built with the highest quality materials according to ISO 9001:2015 standards.  
**KOBRA**® and **ENERGY SMART**® are registered trademarks.



Technical data as of May 2023. Specifications in this publication may be subject to change without notice.

Authorized Dealer